



BREAST MILK REFRIGERATORS

**SAFE STORAGE OF MILK
TO NEWBORNS**

STORAGE GUIDELINES



CDC guidelines

By following the recommended storage guidelines described by CDC (Centers for Disease Control and Prevention), nursing mothers and caretakers of breastfed infants can maintain the safety and quality of expressed breast milk for the health of the baby.

	Room temperature +25°C (or colder)	Refrigerator +3°C	Freezer -18°C (or colder)
Freshly expressed or pumped milk	4 hours max.	4 days	12 months max.
Thawed, previously Frozen	2 hours max.	1 days	DO NOT refreeze human milk after it has been thawed
Leftover from a feeding	Use within 2 hours		

Vestfrost Breast Milk Refrigerators are developed especially for storage of milk to newborns. The models are suitable for mothers' suite, hospitals, wellness room etc. and operate between 0,5°C and 4,5°C as recommended by CDC.

Storage tips

- Remember to clearly label the breast milk with the date it was expressed
- If you do not expect to use your freshly expressed breast milk within 4 days, you should freeze it straight away. Freezing it helps to protect the quality of the breast milk.
- When freezing breast milk, remember not to fill the container completely as the breast milk will expand when frozen.
- Freeze milk in amounts fitting to one feeding, to avoid having to discard some leftover milk.
- You can store breast milk in an insulated cooler bag with frozen ice packs for up to 24h when traveling. Once you arrive at your destination, milk should be used right way, store in the refrigerator or frozen for later use.

VESTFROST

Our safe and reliable options.



LOW NOISE
<41 dB



ENVIRONMENT FRIENDLY
Natural Refrigerant
Solid door below 0,8 kWh/24h



USER FRIENDLY
Plug & Play
Ergonomic door handle
Filterless construction



SPECIFICATIONS	R - BM 130
Dimensions, H x W x D, mm	825 x 595 x 645
Gross volume, Litres	133
Net volume, Litres	119
Temperature range, C°	+2 to +8
Max number of shelves	3 + bottom

SPECIFICATIONS	R - BM 360
Dimensions, H x W x D, mm	1919 x 595 x 638
Gross volume, Litres	360
Net volume, Litres	351
Temperature range, C°	+2 to +8
Max number of shelves	8 + bottom

SPECIFICATIONS	R - BM 290
Dimensions, H x W x D, mm	1550 x 595 x 638
Gross volume, Litres	288
Net volume, Litres	281
Temperature range, C°	+2 to +8
Max number of shelves	6 + bottom

ISO 9001,
13485, 14001 &
18001 OHSAS
Certified

PROFESSIONAL SOLUTIONS

Vestfrost Solutions is a global developer and manufacturer of innovative and efficient refrigerators and freezers for the professional market. With more than 50 years' experience, we have strong records within manufacturing supplied to the global professional industry, where temperatures must be reliable and precise at all times. We employ numerous initiatives to reduce costs of product usage and to minimize environmental impact.

The continuously expanding product line is based on extensive research and thoroughly tested technology; all products honoring the highest requirements in terms of safety, quality and usability.

For more information, please visit our website:
www.vestfrostsolutions.com



ISO 13485
Management System Certification
BUREAU VERITAS
Certification Denmark A/S

