



ULT-7i

ULT TECHNICAL SPECIFICATIONS

Multi voltage.



DIMENSIONS		VALUE
Dimension HxWxD		731x447x709
Dimension inner HxWxD		307x147x142
Weight		63
Package weight		20
Packaging dimensions HxWxD		909x529x754
Material inner cabinet		Stainless steel
Material outer cabinet		Galv. steel prepainted
Insulation type		PUR
Insulation thickness		120
Type of packaging		Cardboard, EPS, PE, wood
Mobility		4 x adjustable feet
FEATURES		VALUE
Lock		<input checked="" type="checkbox"/>
LED light		<input checked="" type="checkbox"/>
Battery backup		<input checked="" type="checkbox"/>
Porthole		<input checked="" type="checkbox"/>
Porthole size		20 mm
Dry contact		<input checked="" type="checkbox"/>
Door reversibility		<input type="checkbox"/>
Vacuum valve		<input checked="" type="checkbox"/>
VIP (Vacuum Insulated Panel)		<input checked="" type="checkbox"/>
STORAGE		VALUE
Capacity (L)		7
ALARMS		VALUE
High / Low temperature		<input checked="" type="checkbox"/>
Open door		<input checked="" type="checkbox"/>
Power failure		<input checked="" type="checkbox"/>
Probe failure		<input checked="" type="checkbox"/>
COOLING		VALUE
Refrigerant		Nature R
Energy 20 °C		2,74 kW/24h
Noise		< 48
Voltage		110-230V
Frequenze		50/60 Hz
Temperature range		-25 / -86
Ambient condition		25 °C



ULT-7i

ULT TECHNICAL SPECIFICATIONS

Multi voltage.

OPERATING CONDITIONS

Voltage/Frequency	Voltage/Hz	50/60
Max Ambient	°C	25
Max Humidity	% rh	60
Test condition	°C	20

PERFORMANCE	UNIT	VALUE
All data in RT20°C		
Temperature Range	°C	-25 to -86
Uniformity in performance - difference between top and bottom		+/- 2,5
Pull down time	Minutes	132 min. to -75°C
Hold over time	Minutes	N/A
Noise	dB	N/A
Energy 24 hours	kWh/24h	2,94 kWh/24h set -80°C
Energy year	kWh/year	1073kWh/y set -80°C
Instant Power Consumption	kW	PD 0,300/Stable 0,190
Heat Rejection	W	N/A
U-Value	W/m ² K	N/A

COOLING COMPONENTS	VALUE
Refrigerant/Amount (gram)	Nature R 2/85gr
Number of compressors	1
Varibel speed compressor	Yes
Internal air distribution (type of)	Static
Evaporator Fan	No
Condenser Fan	Yes
Number of probes	2
Defrost	No

CONTROLLER	VALUE
Controller	yes
Controller type	i-Care touch
USB Connection	yes
Data connection	yes
Controller abilities	logging of data & alarms
Controller languages	EN, DE, FR
Temperature curve in controller	yes